When Relationships Hurt

Understanding EMDR in Pic. res

By Kathryn Spence
Psychotherapist
InnerFocus Tien py
www.inn rtocus herapy.co.uk





What is EMDR?

Eye Movement Desensitisation & Reprocessing Therapy



EMDR is a type of there we ich melps activate the Adaptive Information Processing the processing the processing the processing the processing the processing and fears.

This natural coring mechanism normally occurs during dream sleep, when our eyes move back and forth.

We use Brazeral Stimulation in EMDR to re-create this process.

When the memory is processed it loses its emotional 'heat' and becomes a neutral memory of an event rooted in the past.



Trauma memories can be left unprocessed, leaving them fragmented, distorted and we feel like we're still in the past







Emotional Back Brain

Pational Front Brain


When processed it' a. i. 'e've sorted out the cupboard & organised ... me nory, leaving it in the past







Phases of Trauma Focused Therapy





EMDR uses a three-pronged approach to address the past, present and future




The Past - EMDR The appaddresses people's past experiences that are causing current symptoms.

The Presen - current triggers (which have not been resolved to addressing past experiences) are then targeted.

The Future - we encode in memory future templates to help meet the demands we may face in the future.








BEFORE EMDR

AFTER EMDR





Calm Place

Visualise a safe, calm peaceful place... What can I see, hear, smell, taste, touch? Before starting EMDR we install positive resources to help with coping between sichs.

This help a tivate our lest he digest' safe we'em, so we can better regulate our emotions.





Attachment Figure

Visualise someone who is caring, who shows you're important, believes you, supports you, protects you...

When we grow in an environment water we don't have a set ure and safe attach, ent we may be un luly harsh or un said, g towards our self.

An attachn an figure can be us a during pace sin or between sessions to help provide perspective, comfort and help.





4 Elements Grounding Exercise



Fire up your imagination Imagine a place where you can feel calm, peaceful and safe.



vou self in the safety of your current surroundings.



Air - Focus on your breath and long exhales - calm your body.



Water - create saliva in your mouth - gently bite the sides of your tongue with your molars.



EMDR Reprocessing Session



Memory - visual image, negative core belief, emotions, distress level, sensations, preferred adaptive belief & rating





Dual Attention to Bilateral Stimulation whilst you look you elf to observe and notice what comes up

Therapist stops and checks regrearly on progress, helping you when you get stuck until you feel no rval little distress towards the






Install the positive belief until it's strongly held






Body scan to check for any remaining tension

"What c'o you not e










Free Association in EMDR





Subjective Units of Distress (SUDs) 0 - 10





Validity of Cognition (VOC) 1 - 7

This scale helps to identify how much , ou help ever a new more realistic through











Stronger or Positive Belief



4 - It's very possible and I believe it when I'm not feeling bad

7 - I know it to be true in my mind and body



Negative Core Beliefs



Adaptive Beliefs

I'm abandoned

I'm unimportant

I have to be in control

It's my fault

I should have done something

I'm unlovable

I'm not good enough

I'm powerless

I'm vulnerabi

I'm goin, to le

I'r over he ned

ar c safe

I'm bad

I'm weak















I'm worthy

I have lue

I cance trawn can

I'\ lear\ _ from it

I did what I could

I'm okay as I am

I'm good enough

I can control what I can

I can protect myself now

I survived

I can get through it

I'm safe now

I did what I did to survive

I'm capable



After EMDR

First Half Hour after a Session...

Processing continues after the session ends, so you need some time to reference your awareness back in the present. Go for a walk, watch the sights, get a cup of tea or coffect disters to music.







In the da that follow...

You may or may not not cenew insights, thoughts, memories or dreams. Stay out of the way of any reaction you may have don't try to have stand it. You can jot it down in a log.

Use relation of grounding techniques and practice self-care.

Ware oci; creatures and seek out connection, spend time with those who are supportive.





Therapy Endings

IT CAN BE HARD TO SAY GOODBYE AT THE END OF THERAPY. IT CAN ACTIVATE MEMORIES OF LOSS, N GA VE ENDINGS FROM OUR PAST, OR ATTACHM INT NXIETIES.



IN CAN GIVE YOU A CHANCE TO CELEBRATE HOW FAR YOU'VE COME

IT'S A PLANNED ENDING AND CAN GIVE YOU A POSITIVE EXPERIENCE OF ENDING



Sources

Disclaimer – I have been a therapist for many years and thus cannot reference where I have learned all theories and aspects that I have covered in this book, however, I have listed key texts and sites which have shaped my thinking.

- Francine Shapiro. (2001). Eye Movement Desensitization and Reprocessing (5ML 1) The py: Basic Principles, Protocols, and Procedures. Guilford Press.
- Images and graphics Canva <u>www.canva.com</u>

With special thanks to Ben, Katie, Carrie and Angela

© Copyright Kat Tyn Spe. 2023

Permission to she openly with clients and for your own personal or therapy use. This document should not be shared with outer professionals or made public in anyway.

www.innerfocustherapy.co.uk innerfocustherapy@outlook.com

